

















Order no.: 174235

**Mobile scaffolding,
1.35 × 2.45 m, with
double platform.
Platform height 2.51 m**




Accessories for the product family


 <p>Order no.: 027993 Safety railing for mobile scaffolding</p>	 <p>Order no.: 027901 Push-fit frame, 1.35 m. Height: 2.00 m</p>	 <p>Order no.: 027956 Railing lengthwise 2,450 mm</p>	 <p>Order no.: 027910 Platform with trapdoor For scaffolding length: 2.45 m</p>	 <p>Order no.: 027930 Platform without flap For scaffolding length: 2.45 m</p>
 <p>Order no.: 027911 Toe board front side For scaffolding width: 1.35 m</p>	 <p>Order no.: 027914 Toe board long side For scaffolding length: 2.45 m</p>	 <p>Order no.: 027908 Diagonal brace 2.45 m</p>	 <p>Order no.: 027907 Horizontal strut For scaffolding length: 2.45 m</p>	 <p>Order no.: 027917 Swivel castor with spindle height adjustable Ø 200 mm</p>
 <p>Order no.: 027940 Step-on bracket</p>	 <p>Order no.: 027912 Ballast weight with hanging brackets RAL 1021</p>	 <p>Order no.: 019081 Clip tray for tubes Ø 50 mm</p>	 <p>Order no.: 027920 Wall spacer adjustable Adjustable up to 1.0 m</p>	 <p>Order no.: 070506 Frame extension can be clamped on Adjustment range max. 400 mm</p>




Order no.: 019274
Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276
Storage tray 800 x 300 mm Clamping range 38-51 mm




Order no.: 019175
Inspection sticker 40 x 40 mm




Order no.: 019176
Inventory sticker




Order no.: 070508
Safety door on front side Push-fit frame 1.35




Order no.: 070522
Scaffolding connector set For scaffolding width: 1.35 m




Order no.: 019136
Spring clip for mobile scaffolding with short pin, closed




Order no.: 070520
Scaffolding strut telescopic 2,120-3,400 mm




Order no.: 027104
Height-adjustable spindle




Order no.: 027922
Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921
Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958
Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027902
Push-fit frame, 1.35 m. Height: 1.00 m