

Order no.: 154347


Mobile scaffolding,  
0.75 × 1.80 m, with  
chassis bar. Platform  
height 3,26 m




### Accessories for the product family




Order no.: 027992  
Safety railing for mobile scaffolding




Order no.: 027905  
Push-fit frame, 0.75 m. Height: 1.00 m




Order no.: 027904  
Push-fit frame, 0.75 m. Height: 2.00 m




Order no.: 027918  
Push-fit frame, 0.75 m. Height: 0.5 m




Order no.: 027955  
Railing lengthwise 1,800 mm




Order no.: 027931  
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027913  
Toe board front side For scaffolding width: 0.75 m

















Order no.: 027943  
Toe board long side For scaffolding length: 1.8 m



Order no.: 027937  
Diagonal brace 1.8 m



Order no.: 027935  
Horizontal strut For scaffolding length: 1.8 m





Order no.: 027104

**Height-adjustable  
spindle**



Order no.: 027922

**Swivel castor with  
spindle, non-  
marking grey height  
adjustable Ø 200  
mm**



Order no.: 027921

**Swivel castor with  
spindle, electrically  
conductive height  
adjustable Ø 200  
mm**



Order no.: 027958

**Swivel castor Ø  
200 mm With  
parking brake and  
pin**