

















Order no.: 155347

**Mobile scaffolding,  
0.75 × 2.45 m, with  
chassis bar. Platform  
height 3,26 m**




## Accessories for the product family


 <p>Order no.: 027993 Safety railing for mobile scaffolding</p>	 <p>Order no.: 027995 Railing frame front side</p>	 <p>Order no.: 027904 Push-fit frame, 0.75 m. Height: 2.00 m</p>	 <p>Order no.: 027918 Push-fit frame, 0.75 m. Height: 0.5 m</p>	 <p>Order no.: 027956 Railing lengthwise 2,450 mm</p>
 <p>Order no.: 027910 Platform with trapdoor For scaffolding length: 2.45 m</p>	 <p>Order no.: 027913 Toe board front side For scaffolding width: 0.75 m</p>	 <p>Order no.: 027914 Toe board long side For scaffolding length: 2.45 m</p>	 <p>Order no.: 027908 Diagonal brace 2.45 m</p>	 <p>Order no.: 027907 Horizontal strut For scaffolding length: 2.45 m</p>
 <p>Order no.: 027923 Chassis bar 2 m</p>	 <p>Order no.: 027917 Swivel castor with spindle height adjustable Ø 200 mm</p>	 <p>Order no.: 027940 Step-on bracket</p>	 <p>Order no.: 027912 Ballast weight with hanging brackets RAL 1021</p>	 <p>Order no.: 019081 Clip tray for tubes Ø 50 mm</p>




Order no.: 027920  
Wall spacer adjustable  
Adjustable up to 1.0 m




Order no.: 070506  
Frame extension can be clamped on  
Adjustment range max. 400 mm




Order no.: 019274  
Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276  
Storage tray 800 x 300 mm Clamping range 38-51 mm




Order no.: 019175  
Inspection sticker 40 x 40 mm




Order no.: 019176  
Inventory sticker




Order no.: 070507  
Safety door on front side Push-fit frame 0.75




Order no.: 070505  
Scaffolding connector set For scaffolding width: 0.75 m




Order no.: 019136  
Spring clip for mobile scaffolding with short pin, closed




Order no.: 070520  
Scaffolding strut telescopic 2,120-3,400 mm




Order no.: 027104  
Height-adjustable spindle



Order no.: 027922  
Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921  
Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958  
Swivel castor Ø 200 mm With parking brake and pin