


Order no.: 154348


Mobile scaffolding,
0.75 × 1.80 m, with
outrigger. Platform height
3.07 m




Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding




Order no.: 027904
Push-fit frame, 0.75 m. Height: 2.00 m




Order no.: 027918
Push-fit frame, 0.75 m. Height: 0.5 m




Order no.: 027955
Railing lengthwise 1,800 mm




Order no.: 027931
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027913
Toe board front side For scaffolding width: 0.75 m




Order no.: 027943
Toe board long side For scaffolding length: 1.8 m



Order no.: 027937
Diagonal brace 1.8 m



Order no.: 027935
Horizontal strut For scaffolding length: 1.8 m



Order no.: 027926
Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021



Order no.: 019081

Clip tray for tubes Ø 50 mm



Order no.: 027920

Wall spacer adjustable Adjustable up to 1.0 m



Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm



Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38-51 mm



Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38-51 mm



Order no.: 019175

Inspection sticker 40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 070507

Safety door on front side Push-fit frame 0.75



Order no.: 070505

Scaffolding connector set For scaffolding width: 0.75 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 019137

Spring clip for mobile scaffolding with long pin, open



Order no.: 070524

Scaffolding strut telescopic 1,700-2,500 mm



Order no.: 027104

**Height-adjustable
spindle**



Order no.: 027922

**Swivel castor with
spindle, non-
marking grey height
adjustable Ø 200
mm**



Order no.: 027921

**Swivel castor with
spindle, electrically
conductive height
adjustable Ø 200
mm**



Order no.: 027958

**Swivel castor Ø
200 mm With
parking brake and
pin**



Order no.: 027905

**Push-fit frame, 0.75
m. Height: 1.00 m**