

Order no.: 155348

**Mobile scaffolding,
0.75 × 2.45 m, with
outrigger. Platform
height 3,07 m**



Accessories for the product family



Order no.: 027993

Safety railing for mobile scaffolding



Order no.: 027904

Push-fit frame, 0.75 m. Height: 2.00 m



Order no.: 027918

Push-fit frame, 0.75 m. Height: 0.5 m



Order no.: 027956

Railing lengthwise 2,450 mm



Order no.: 027910

Platform with trapdoor For scaffolding length: 2.45 m



Order no.: 027913

Toe board front side For scaffolding width: 0.75 m



Order no.: 027914

Toe board long side For scaffolding length: 2.45 m



Order no.: 027908

Diagonal brace 2.45 m



Order no.: 027907

Horizontal strut For scaffolding length: 2.45 m



Order no.: 027926

Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021




Order no.: 019081

Clip tray for tubes Ø 50 mm




Order no.: 027920


Wall spacer adjustable Adjustable up to 1.0 m




Order no.: 070506
Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274
Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276
Storage tray 800 x 300 mm Clamping range 38-51 mm




Order no.: 019175
Inspection sticker 40 x 40 mm




Order no.: 019176
Inventory sticker




Order no.: 070507
Safety door on front side Push-fit frame 0.75




Order no.: 070505
Scaffolding connector set For scaffolding width: 0.75 m




Order no.: 019136
Spring clip for mobile scaffolding with short pin, closed




Order no.: 019137
Spring clip for mobile scaffolding with long pin, open




Order no.: 070520
Scaffolding strut telescopic 2,120-3,400 mm




Order no.: 027104
Height-adjustable spindle




Order no.: 027922
Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921
Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958
Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027905
Push-fit frame, 0.75 m. Height: 1.00 m