

















Order no.: 169436

**Mobile scaffolding,
1.35 × 3.0 m, with
outrigger & double
platform. Platform height
4.47 m**




Accessories for the product family







Order no.: 070506
Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274
Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276
Storage tray 800 x 300 mm Clamping range 38-51 mm




Order no.: 019175
Inspection sticker 40 x 40 mm




Order no.: 019176
Inventory sticker




Order no.: 070508
Safety door on front side Push-fit frame 1.35




Order no.: 070522
Scaffolding connector set For scaffolding width: 1.35 m




Order no.: 019136
Spring clip for mobile scaffolding with short pin, closed




Order no.: 019137
Spring clip for mobile scaffolding with long pin, open




Order no.: 070520
Scaffolding strut telescopic 2,120-3,400 mm




Order no.: 027104
Height-adjustable spindle




Order no.: 027922
Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921
Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958
Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027902
Push-fit frame, 1.35 m. Height: 1.00 m