


Order no.: 115248


**Folding scaffolding 1.35
x 1.80 m with outrigger
Platform height 5.16 m**




Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding




Order no.: 027972
Folding frame unit, 1.35 m For scaffolding length: 1.8 m




Order no.: 027902
Push-fit frame, 1.35 m. Height: 1.00 m




Order no.: 027901
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027955
Railing lengthwise 1,800 mm




Order no.: 027931
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027932
Platform without flap For scaffolding length: 1.8 m




Order no.: 027911
Toe board front side For scaffolding width: 1.35 m




Order no.: 027943
Toe board long side For scaffolding length: 1.8 m




Order no.: 027937
Diagonal brace 1.8 m




Order no.: 027935
Horizontal strut For scaffolding length: 1.8 m




Order no.: 027926
Triangular outrigger




Order no.: 027973
Swivel castor with spindle height adjustable Ø 125 mm



Order no.: 027940
Step-on bracket



Order no.: 027912
Ballast weight with hanging brackets RAL 1021



Order no.: 019081

Clip tray for tubes
Ø 50 mm



Order no.: 027920

Wall spacer
adjustable
Adjustable up to
1.0 m



Order no.: 070506

Frame extension
can be clamped on
Adjustment range
max. 400 mm



Order no.: 019274

Storage tray 500 x
220 mm Clamping
range 38-51 mm



Order no.: 019276

Storage tray 800 x
300 mm Clamping
range 38-51 mm




Order no.: 019175

Inspection sticker
40 x 40 mm



Order no.: 019176

Inventory sticker



Order no.: 019477

Automatic steel
hinge for
scaffolding folding
frame



Order no.: 070508

Safety door on
front side Push-fit
frame 1.35



Order no.: 019136

Spring clip for
mobile scaffolding
with short pin,
closed



Order no.: 019137

Spring clip for
mobile scaffolding
with long pin, open



Order no.: 070524

Scaffolding strut
telescopic 1,700-
2,500 mm



Order no.: 027104

Height-adjustable
spindle



Order no.: 027922

Swivel castor with
spindle, non-
marking grey
height adjustable
Ø 200 mm



Order no.: 027921

Swivel castor with
spindle,
electrically
conductive height
adjustable Ø 200
mm



Order no.: 027959

Swivel castor Ø
125 mm With
parking brake and
pin



Order no.: 027958

Swivel castor Ø
200 mm With
parking brake and
pin