








Order no.: 174237


Mobile scaffolding SG

1.35 × 2.45 m with double  
platform platform height


2.51 m

### Accessories for the product family







Order no.: 027911  
**Toe board front side**  
For scaffolding  
width: 1.35 m




Order no.: 027914  
**Toe board long side**  
For scaffolding  
length: 2.45 m




Order no.: 027908  
**Diagonal brace**  
2.45 m




Order no.: 027907  
**Horizontal strut** For  
scaffolding length:  
2.45 m




Order no.: 027917  
**Swivel castor with  
spindle height  
adjustable Ø 200  
mm**




Order no.: 027940  
**Step-on bracket**




Order no.: 027912  
**Ballast weight with  
hanging brackets  
RAL 1021**




Order no.: 019081  
**Clip tray for tubes**  
Ø 50 mm




Order no.: 027920  
**Wall spacer  
adjustable**  
Adjustable up to  
1.0 m




Order no.: 070506  
**Frame extension  
can be clamped on**  
Adjustable range  
max. 400 mm




Order no.: 019274  
**Storage tray 500 x  
220 mm Clamping  
range 38–51 mm**




Order no.: 019276  
**Storage tray 800 x  
300 mm Clamping  
range 38–51 mm**



Order no.: 019175  
**Inspection sticker**  
40 x 40 mm



Order no.: 019176  
**Inventory sticker**



Order no.: 019136  
**Spring clip for  
mobile scaffolding  
with short pin,  
closed**



Order no.: 070520

Scaffolding strut  
telescopic 2,120–  
3,400 mm



Order no.: 027104

Height-adjustable  
spindle



Order no.: 027922

Swivel castor with  
spindle, non-  
marking grey height  
adjustable Ø 200  
mm



Order no.: 027921

Swivel castor with  
spindle, electrically  
conductive height  
adjustable Ø 200  
mm



Order no.: 027958

Swivel castor Ø  
200 mm With  
parking brake and  
pin



Order no.: 027902

Push-fit frame, 1.35  
m. Height: 1.00 m