







Order no.: 171236

**Mobile scaffolding SG**  
0.75 × 2.45 m platform  
height 2.51 m




### Accessories for the product family







Order no.: 027914  
Toe board long side  
For scaffolding  
length: 2.45 m




Order no.: 027908  
Diagonal brace  
2.45 m




Order no.: 027907  
Horizontal strut For  
scaffolding length:  
2.45 m




Order no.: 027917  
Swivel castor with  
spindle height  
adjustable Ø 200  
mm




Order no.: 027940  
Step-on bracket




Order no.: 027912  
Ballast weight with  
hanging brackets  
RAL 1021




Order no.: 019081  
Clip tray for tubes  
Ø 50 mm




Order no.: 027920  
Wall spacer  
adjustable  
Adjustable up to  
1.0 m




Order no.: 070506  
Frame extension  
can be clamped on  
Adjustment range  
max. 400 mm




Order no.: 019274  
Storage tray 500 x  
220 mm Clamping  
range 38–51 mm




Order no.: 019276  
Storage tray 800 x  
300 mm Clamping  
range 38–51 mm




Order no.: 019175  
Inspection sticker  
40 x 40 mm



Order no.: 019176  
Inventory sticker



Order no.: 019136  
Spring clip for  
mobile scaffolding  
with short pin,  
closed



Order no.: 070520  
Scaffolding strut  
telescopic 2,120–  
3,400 mm



Order no.: 027104

**Height-adjustable  
spindle**



Order no.: 027922

**Swivel castor with  
spindle, non-  
marking grey height  
adjustable Ø 200  
mm**



Order no.: 027921

**Swivel castor with  
spindle, electrically  
conductive height  
adjustable Ø 200  
mm**



Order no.: 027958

**Swivel castor Ø  
200 mm With  
parking brake and  
pin**



Order no.: 027905

**Push-fit frame, 0.75  
m. Height: 1.00 m**