


Order no.: 168439

**Mobile scaffolding SG  
1.35 × 2.45 m with  
outrigger & double  
platform platform height  
4.47 m**



## Accessories for the product family



Order no.: 027993

Safety railing for mobile scaffolding




Order no.: 027901

Push-fit frame, 1.35 m. Height: 2.00 m



Order no.: 027955

Railing lengthwise 1,800 mm



Order no.: 027931

Platform with trapdoor For scaffolding length: 1.8 m



Order no.: 027932

Platform without flap For scaffolding length: 1.8 m



Order no.: 027911

Toe board front side For scaffolding width: 1.35 m



Order no.: 027943

Toe board long side For scaffolding length: 1.8 m



Order no.: 027937

Diagonal brace 1.8 m



Order no.: 027935

Horizontal strut For scaffolding length: 1.8 m



Order no.: 027926

Triangular outrigger



Order no.: 027917

Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940

Step-on bracket



Order no.: 027912

Ballast weight with hanging brackets RAL 1021




Order no.: 019081

Clip tray for tubes Ø 50 mm




Order no.: 027920


Wall spacer adjustable Adjustable up to 1.0 m




Order no.: 070506  
Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274  
Storage tray 500 x 220 mm Clamping range 38-51 mm




Order no.: 019276  
Storage tray 800 x 300 mm Clamping range 38-51 mm




Order no.: 019175  
Inspection sticker 40 x 40 mm




Order no.: 019176  
Inventory sticker




Order no.: 070508  
Safety door on front side Push-fit frame 1.35




Order no.: 070522  
Scaffolding connector set For scaffolding width: 1.35 m




Order no.: 019136  
Spring clip for mobile scaffolding with short pin, closed




Order no.: 019137  
Spring clip for mobile scaffolding with long pin, open




Order no.: 070520  
Scaffolding strut telescopic 2,120-3,400 mm




Order no.: 027104  
Height-adjustable spindle




Order no.: 027922  
Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921  
Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958  
Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027902  
Push-fit frame, 1.35 m. Height: 1.00 m