


Order no.: 167111


**Mobile scaffolding SG  
1.35 × 2.45 m with  
inclined ascents  
platform height 2.51 m**




## Accessories for the product family




Order no.: 027993  
Safety railing for mobile scaffolding




Order no.: 027996  
Railing frame front side




Order no.: 027928  
Entry frame For scaffolding width: 1.35 m




Order no.: 027901  
Push-fit frame, 1.35 m. Height: 2.00 m




Order no.: 027956  
Railing lengthwise 2,450 mm




Order no.: 027985  
Platform with longitudinal flap For scaffolding length: 2.45 m




Order no.: 027930  
Platform without flap For scaffolding length: 2.45 m




Order no.: 027911  
Toe board front side For scaffolding width: 1.35 m




Order no.: 027914  
Toe board long side For scaffolding length: 2.45 m




Order no.: 027963  
Inclined ascent below For stair scaffolding For scaffolding length: 2.45 m




Order no.: 027967  
Top handrail for mobile scaffolding with inclined ascent For scaffolding length: 2.45 m




Order no.: 027908  
Diagonal brace 2.45 m



Order no.: 027907  
Horizontal strut For scaffolding length: 2.45 m




Order no.: 027917  
Swivel castor with spindle height adjustable Ø 200 mm



Order no.: 027940  
Step-on bracket



Order no.: 027912  
Ballast weight with hanging brackets RAL 1021



Order no.: 019081  
Clip tray for tubes Ø 50 mm



Order no.: 027920  
Wall spacer adjustable up to 1.0 m



Order no.: 070506  
Frame extension can be clamped on Adjustment range max. 400 mm



Order no.: 019274  
Storage tray 500 x 220 mm Clamping range 38-51 mm



Order no.: 019276  
Storage tray 800 x 300 mm Clamping range 38-51 mm



Order no.: 019175  
Inspection sticker 40 x 40 mm



Order no.: 019176  
Inventory sticker



Order no.: 019136  
Spring clip for mobile scaffolding with short pin, closed



Order no.: 070520  
Scaffolding strut telescopic 2,120-3,400 mm



Order no.: 027104  
Height-adjustable spindle



Order no.: 027922  
Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921  
Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958  
Swivel castor Ø 200 mm With parking brake and pin