














Order no.: 167121


Mobile scaffolding SG
1.35 × 3 m with inclined
ascents platform height
2.51 m

Accessories for the product family







Order no.: 027938
Diagonal brace 3 m




Order no.: 027936
Horizontal strut For scaffolding length: 3.0 m




Order no.: 027917
Swivel castor with spindle height adjustable Ø 200 mm




Order no.: 027940
Step-on bracket




Order no.: 027912
Ballast weight with hanging brackets RAL 1021




Order no.: 019081
Clip tray for tubes Ø 50 mm




Order no.: 027920
Wall spacer adjustable Adjustable up to 1.0 m




Order no.: 070506
Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274
Storage tray 500 x 220 mm Clamping range 38–51 mm




Order no.: 019276
Storage tray 800 x 300 mm Clamping range 38–51 mm




Order no.: 019175
Inspection sticker 40 x 40 mm




Order no.: 019176
Inventory sticker



Order no.: 019136
Spring clip for mobile scaffolding with short pin, closed



Order no.: 070520
Scaffolding strut telescopic 2,120–3,400 mm



Order no.: 027104
Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027902

Push-fit frame 135/112