





Order no.: 115100

Folding scaffolding 0.75 x
1.80 m Platform height
2.08 m


Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding




Order no.: 027971
Folding frame unit, 0.75 m For scaffolding length: 1.8 m




Order no.: 027955
Railing lengthwise 1,800 mm



Order no.: 027931
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027943
Toe board long side For scaffolding length: 1.8 m




Order no.: 027913

Toe board front side For scaffolding width: 0.75 m




Order no.: 027973

Swivel castor with spindle height adjustable Ø 125 mm




Order no.: 027912

Ballast weight with hanging brackets RAL 1021




Order no.: 019081

Clip tray for tubes Ø 50 mm




Order no.: 027920

Wall spacer adjustable Adjustable up to 1.0 m




Order no.: 070506

Frame extension can be clamped on Adjustment range max. 400 mm




Order no.: 019274

Storage tray 500 x 220 mm Clamping range 38–51 mm




Order no.: 019276

Storage tray 800 x 300 mm Clamping range 38–51 mm



Order no.: 019175

Inspection sticker 40 x 40 mm




Order no.: 019176

Inventory sticker




Order no.: 019477

Automatic steel hinge for scaffolding folding frame




Order no.: 070507

Safety door on front side Push-fit frame 0.75




Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027959

Swivel castor Ø 125 mm With parking brake and pin



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027905

Push-fit frame, 0.75 m. Height: 1.00 m