





Order no.: 170235

Mobile scaffolding,
0.75 × 1.80 m Platform
height 2.51 m


Accessories for the product family




Order no.: 027992
Safety railing for mobile scaffolding




Order no.: 027904
Push-fit frame, 0.75 m. Height: 2.00 m




Order no.: 027955
Railing lengthwise 1,800 mm




Order no.: 027931
Platform with trapdoor For scaffolding length: 1.8 m




Order no.: 027913
Toe board front side For scaffolding width: 0.75 m




Order no.: 027943
Toe board long side
For scaffolding
length: 1.8 m




Order no.: 027937
Diagonal brace 1.8
m




Order no.: 027935
Horizontal strut For
scaffolding length:
1.8 m




Order no.: 027917
Swivel castor with
spindle height
adjustable Ø 200
mm




Order no.: 027940
Step-on bracket




Order no.: 027912
Ballast weight with
hanging brackets
RAL 1021




Order no.: 019081
Clip tray for tubes
Ø 50 mm




Order no.: 027920
Wall spacer
adjustable
Adjustable up to
1.0 m




Order no.: 070506
Frame extension
can be clamped on
Adjustment range
max. 400 mm




Order no.: 019274
Storage tray 500 x
220 mm Clamping
range 38–51 mm




Order no.: 019276
Storage tray 800 x
300 mm Clamping
range 38–51 mm




Order no.: 019175
Inspection sticker
40 x 40 mm



Order no.: 019176
Inventory sticker



Order no.: 070507
Safety door on
front side Push-fit
frame 0.75



Order no.: 070505
Scaffolding
connector set For
scaffolding width:
0.75 m



Order no.: 019136

Spring clip for mobile scaffolding with short pin, closed



Order no.: 070524

Scaffolding strut telescopic 1,700–2,500 mm



Order no.: 027104

Height-adjustable spindle



Order no.: 027922

Swivel castor with spindle, non-marking grey height adjustable Ø 200 mm



Order no.: 027921

Swivel castor with spindle, electrically conductive height adjustable Ø 200 mm



Order no.: 027958

Swivel castor Ø 200 mm With parking brake and pin



Order no.: 027905

Push-fit frame, 0.75 m. Height: 1.00 m