


Order no.: 331039

Rigid track platform

Platform covering

Aluminium corrugated GRP grating

Specification

Top surface depth 1.26 m	Top surface width 1.33 m	Step/Platform surface Aluminium corrugated	Non-slip class R11	Max. load capacity 300 kg
Material Aluminium	Transport dimensions (plus packaging) 1550 x 1500 x 300 mm, 52 kg	Business division MUNK Günzburger Steigtechnik	Order no. 331039	

Facts

- Aluminium work platform
- Adaptable to different track types thanks to adjustable supports
- Suitable for main track types S49, S54 and 60E
- Easy and safe moving of the track platform thanks to automatic brake and double operating lever
- Flush transition to the track area with warning marking
- Push-fit railing with knee rail and toe board available as accessories for end faces

- Optional connecting piece means it can be coupled with other track platforms without gaps, making it possible to cover complete track pits
- Maximum load: 300 kg

Scope of supply

- Platform: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



Variant diversity

- Step stools with basic constructions made of aluminium rectangular tube slide-rails or steel round tube
- Welded and bolted versions
- Various step and platform designs



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



From small to large

- The right product for every application
- One-sided and two-sided variants



Added ergonomics

- Integrated or retrofittable castors for easy movement from place to place
- Handles for ergonomic handling
- Foldable products for easy transport



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID: 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

