

Order no.: REF-30313890

# Modular roof working platform



## **Specification**

Business division
MUNK Günzburger
Steigtechnik

Sector
Rail vehicles

Type **mobile** 

Height adjustable

## **Facts**

- Walkway: Length: max. 40 m (segment platform length variable 5,210 / 6,060 mm)
- Walkway: width: 800 / 1,050 mm (different widths depending on segment) - plus 300 mm fold-down angle
- Walkway: Platform height min.: 3,000 mm
- Walkway: Platform height max.: 3,700 / 4,500 mm
- Chassis: Swivel castors: Ø 200 mm, 4 per segment
- Chassis: Support spindles: 4 per segment
- Chassis: Chassis beam width: 990 / 1,250 mm
- Walkway: Decking: Aluminium ribbed (R9)
- Railing: Height: 1,100 mm

# Description

#### **Client's Request and Task**

The project goal was to develop a modular roof working platform, specifically designed for maintenance work on train roofs. The construction had to ensure flexible adaptability in the length dimension while allowing user-friendly assembly. It was essential to create a working environment that prioritizes ergonomics and safety for the maintenance personnel. Additionally, the working platform had to offer stability and reliability while complying with the relevant standards to meet our client's high requirements.

#### **Customer Requirements**

 Roof working platform for maintenance work on train roofs



Railing: Aluminium tube: Ø 40 mm

Railing: rigid design

Railing: safety gate: frontal, spring-loaded

Vario stairs: Vertical height max.: 4,500 mm

Vario stairs: Vertical height min.: 3,000 mm

Vario stairs: Total width: 1,300 mm

Vario stairs: Step width: 800 mm

Vario stairs: Step depth: 240 mm

VarioStairs - Chassis: Swivel castors (4

pieces): Ø 125 mm

VarioStairs - Chassis: Mobile beam width:

1,250 mm

Vario stairs: Handrail: Rigid on left and right

long side

Vario stairs: Tread: Aluminium ribbed (R9)

Surface load: 1.5 kN/m²

Total load: 500 kg

Step load: 150 kg

- Modular adaptability in length for various train types
- User-friendly construction for easy handling
- Ergonomic working conditions to minimize strains
- Standard-compliant and stable construction for maximum safety and reliability

#### **Our Solution**

#### **Modular Working Platform System**

We developed a system consisting of two roof working platforms, which can be positioned on both the left and right sides of a train. Each side consists of four individual modules and three insert platforms, which can be extended to a total length of up to 40 meters without a staircase.

## Flexibility and Adaptability

The platform height can be manually adjusted in 100 mm increments using a hand crank and a toothed rack, which enables customised height adjustment. The individual modules are equipped with a trolley so that they can be easily positioned and adjusted.

## **Safety Features and Ergonomics**

The roof working platform offers optimal safety through fall protections, such as self-closing safety doors and foldable as well as telescopic railings at the front and back. Additionally, the support frames are clad with perforated sheet metal, providing extra protection and simultaneously reinforcing the structure.

### **Accessibility and Protection**

Accessibility is ensured by variostairs, which are protected from unauthorized access by an enclosure with a self-closing door. The foldable angle on the train-facing longitudinal side protects the train from damage and provides a safe and comfortable work area for the personnel.



#### **Technical Specifications and Construction**

With a variable platform length of up to 40 metres and an adjustable platform height of 3,000 mm to 4,500 mm, our solution meets the technical requirements for a wide range of train types. Stability and load capacity are guaranteed with a surface load of 1.5 kN/m² and a total load of 500 kg.

#### Conclusion

Our innovative modular roof working platform represents a precise and standard-compliant solution, specifically tailored to the client's needs. It offers a flexible, safe, and ergonomic work environment, enhancing the efficiency of maintenance processes and protecting personnel from hazards. The ability to adapt to various train types and easy handling make the platform an indispensable tool in modern railway maintenance.

# Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic



No health hazards for the users

# More product pictures









# Added value



Trust us as your competent partner for tailored access equipment solutions. From analysis and design to construction and premium after-sales service, we are the industry leader.

**★** Analysis

We set the benchmark when it comes to evaluating access equipment requirements. Our experts take the time to fully understand your specific needs. Following a thorough analysis, we present a customised solution precisely tailored to your individual circumstances. Rely on us to identify your challenges and provide innovative solutions.

**★** Design

We lead the way in planning bespoke solutions. With creativity, technical expertise, and a deep understanding of access equipment, we develop groundbreaking concepts. Our experienced team designs outstanding solutions that meet the highest safety standards while maximising efficiency and ergonomics for you. Let our expertise and innovative strength impress you.

#### **★** Construction

In construction, we set the bar high. Our engineers and production planners possess unique expertise and extensive experience in access equipment. Using state-of-the-art technologies and high-quality materials, we realise your design down to the smallest detail. Precision and quality are our top priorities, ensuring bespoke solutions that meet the highest demands.

## **★** Production

At our modern production facilities in Günzburg, we professionally and efficiently bring your plans and requests to life. Our specialists in access equipment, electronics, and mechanics focus on one thing: quality that delivers on its promises. Every construction, big or small, is crafted with the utmost care and precision and rigorously tested before shipping.

From decades of experience, we know that individual requirements require special solutions. That's why we are here to help you realize your custom construction.

Get inspired by our reference products and make your unique idea a success. We look forward to supporting your project with our expertise and dedication. Contact our competent team for more information and assistance.

With MUNK Group by your side, your custom construction becomes a reality: Safety. Made in Germany.

#### What we offer

- On-site consultation and project planning
- Custom development according to your requirements
- Precision manufacturing
- Functional and cost-effective access solutions
- Maximum workplace safety
- Fast delivery
- Compliance with all relevant German, English, and international standards and regulations, such as BetrSichV, DGUV regulations, Machinery Directive 2006/42/EC

**OPEN CONTACT FORM** 





## **★** After Sales

Our commitment doesn't end with the completion of your bespoke solution. We excel in after-sales service. Through assembly, maintenance, inspections, and repairs, we ensure your customised access equipment remains in perfect condition. Our reliable team offers top-tier customer service, ensuring your satisfaction is always our priority.





# **Corporate certifications**

on sustainability criteria









