


Order no.: 019638

'roll-fix' ladder castors

Version

Self-assembly

Factory assembly



Specification

Product type Accessories	Length 143 mm	Width 80 mm	Step depth 80 mm	Suitable for ladder type Straight ladders Push-up extension ladders Rope- extension ladders
Material Plastics	Transport dimensions (plus packaging) 160 x 170 x 90 mm, 1.2 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019638	

Facts

- Use wheels instead of carrying: Ergonomic and comfortable handling of ladders with stabilisers
- Stop function to prevent slipping and unintentional movement of the ladder
- Reduced joint and back strain when handling ladders
- suitable for aluminium step/rung straight ladders, step push-up extension ladders, step rope-extension ladders
- 1 set = 2 items

Scope of supply

- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management
System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108612548



Nachhaltigkeit

EcoVadis
sustainable supply management

CSR-Rating in Silber 2022

