

Order no.: 050130

# Safety door self-closing for landing stairs



## Specification

Suitable for Platform stairs	Product type Accessories	Length 684 mm	Width 71 mm	Height 690 mm
Material Aluminium	Transport dimensions 690 x 300 x 150 mm, 2.6 kg	Predecessor product 050124	Business division MUNK Günzburger Steigtechnik	Order no. 050130

## Facts

- Suitable for platform stairs
- Cannot be combined with push-fit railing version
- When combined with handrail (050114, 050109, 050110), railing must be drilled
- Opens only in the direction of ascent
- Prevents reverse opening with stop
- Automatic closure with hinge springs
- Simple retrofitting
- Mounting on handrail/railing with clamping brackets (rectangular/round)
- Robust aluminium door handle

- Fittings made of galvanised steel

### Scope of supply

- Safety barrier: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures

---



# Corporate certifications

---

## Standards for quality and sustainability



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
www.tuv.com  
ID 9108612548



Nachhaltigkeit

EcoVadis  
sustainable supply management

CSR-Rating in Silber 2022

