



Order no.: 011163

# Double-sided household stepladder

Number of steps

2x3

2x4

2x5

2x6

2x7

# Specification

Working height 2.64 m	Step design Steps	Number of steps/rungs 2x 3 steps	Step depth 80 mm	Type of non-slip protection Aluminium corrugated
Height 650 mm	Platform height 640 mm	Max. load capacity 150 kg	Design type Freestanding   Double-sided access	Transport dimensions 708 x 440 x 164 mm, 3 kg
Business division MUNK Günzburger Steigtechnik	Order no. 011163			

#### **Facts**

- Aluminium household ladder
- Grooved steps with a depth of 80 mm
- Non-slip ladder shoes
- Spreader lock with two high-strength polyester straps
- Approved and suitable for professional use
- Maximum load: 150 kg
- These products are covered by the statutory warranty



## Scope of supply

■ Ladder: 1 x

#### Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



### More product pictures





Added value

#### Quality

- Approved and suitable for professional use
- These products are covered by the statutory warranty

Note: Working heights

- National regulations (e.g. TRBS 2121 Part 2 in Germany) must be complied with with regard to the maximum working height when using the ladder as a workstation.
- Information on <u>TRBS 2121 Part 2</u> has been summarised on our Service page
- Read our <u>tips and tricks</u> on how to calculate <u>working height</u>





# Corporate certifications

#### on sustainability criteria









