



Order no.: 011163

## Double-sided household stepladder

Number of steps

**2x3** 2x4 2x5 2x6 2x7

### Specification

Working height 2.64 m	Step design Steps	Number of steps/rungs 2x 3 steps	Step depth 80 mm	Type of non-slip protection Aluminium corrugated
Height 650 mm	Platform height 640 mm	Max. load capacity 150 kg	Design type Freestanding   Double-sided access	Transport dimensions (plus packaging) 708 x 440 x 164 mm, 3 kg
Business division MUNK Günzburger Steigtechnik	Order no. 011163			

### Facts

- Aluminium household ladder
- Grooved steps with a depth of 80 mm
- Non-slip ladder shoes
- Spreader lock with two high-strength polyester straps
- Approved and suitable for professional use
- Maximum load: 150 kg
- These products are covered by the statutory warranty


## Scope of supply

- Ladder: 1 x

## Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Added value

### Quality

- Approved and suitable for professional use
- These products are covered by the statutory warranty

### Note: Working heights

- National regulations (e.g. TRBS 2121 Part 2 in Germany) must be complied with with regard to the maximum working height when using the ladder as a workstation.
- Information on [TRBS 2121 Part 2](#) has been summarised on our Service page
- Read our [tips and tricks](#) on how to calculate [working height](#)



## Corporate certifications

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID: 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

