

Order no.: 019189

Link chain restraint

Model versions

Link chain restraint

Knot chain restraint

Specification

Product type Spare part	Length 2 m	Suitable for ladder type Double-sided ladders	Material Hot dip galvanized steel	Transport dimensions 100 x 100 x 40 mm, 0.636 kg
Predecessor product 019528	Business division MUNK Günzburger Steigtechnik	Order no. 019189		

Facts

Link chain restraint for double-sided ladders instead of polyester straps

- Length 2.0 m
- 1 set = 2 chains with fastenings

Scope of supply


Chain restraint : 1 x

Information on sustainability criteria



- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

on sustainability criteria



