



Inner shoe, electrically dissipative, semicircular

For depth of side-rail [mm]



73

85

98



Specification

Product type Spare part	Length 61 mm	Width 28 mm	Height 48 mm	Depth of side-rails 58 mm
Width of side-rails 25 mm	Material Plastics	Transport dimensions 120 x 95 x 28 mm, 0.16 kg	Predecessor product 019605	Business division MUNK Günzburger Steigtechnik
Order no. 019194				

Facts

- Increases the stability and safety of the ladders
- Quick and easy to install
- For aluminium rung and step ladders
- Also suitable for order nos. 030404–030409
- 1 set = 4 pcs.



Scope of supply

Ladder shoe: 4 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

Standards for quality and sustainability









