



Order no.: 019136

Spring clip for mobile scaffolding

Version

short bolts

long bolts

Specification

| Width 52 mm | Length 62 mm | Suitable for Mobile scaffolding Folding scaffolding | Product type short bolts | Transport dimensions 150 x 104 x 25 mm, 0.176 kg |
|----------------------------|--|---|-----------------------------|--|
| Predecessor product 019413 | Business division MUNK Günzburger Steigtechnik | Order no. 019136 | | |

Facts

- Spring clip for mobile scaffolding with short pin
- closed
- 1 set = 4 pcs.
- Suitable for all rolling scaffolds, hinged scaffolds and guardrail frames (Not suitable for FlexxTower and FlexxTower SG)

Scope of supply

■ Spring clip: 4 x



Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

on sustainability criteria







