



Order no.: 019136

Spring clip for mobile scaffolding

Version

short bolts long bolts

Specification

Width 52 mm	Length 62 mm	Suitable for Mobile scaffolding Folding scaffolding	Product type short bolts	Transport dimensions (plus packaging) 150 x 104 x 25 mm, 0.18 kg
Predecessor product 019413	Business division MUNK Günzburger Steigtechnik	Order no. 019136		

Facts

- Spring clip for mobile scaffolding with short pin
- closed
- 1 set = 4 pcs.
- Suitable for all rolling scaffolds, hinged scaffolds and guardrail frames (Not suitable for FlexxTower and FlexxTower SG)

Scope of supply

- Spring clip: 4 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

