

Order no.: 050196

ML Hook-in platform

Length [mm]

1800



Specification

| | | | | |
|--|-------------------------------------|----------------------------------|---|------------------------------------|
| Max. load capacity 300 kg | Base area length 1.53 m | Base area width 320 mm | Step/Platform surface Wood silk-screen printing | Platform length 1.8 m |
| Platform width 320 mm | Material Aluminium Wood | Weight 9.5 kg | Transport dimensions 1808 x 320 x 86 mm, 9.5 kg | Product type Accessories |
| Business division MUNK Günzburger Steigtechnik | Order no. 050196 | Price € 299.00 | | |

Facts

- Practical extension for folding steps 050195 (two folding steps required)
- Simple and quick to hook in at any step height (even on the uppermost standing area)
- Safe and comfortable working on spacious standing area
- Slip-resistant surface thanks to plywood board
- Maximum load: 300 kg / 2 people

- Hooks are enclosed separately (incl. fastening material)

Scope of supply

- Platform: 1 x
- Assembly instructions: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

