

Order no.: 070982

Fixed mounting aid



Number of steps

- 1
- 2
- 3
- 4
- 5



Specification

Platform height 200 mm	Top surface depth 295 mm	Top surface width 550 mm	Step/Platform surface Aluminium tibial plate	Non-slip class R10
Base area length 370 mm	Base area width 590 mm	Design type Single-sided access Rigid	Number of steps/rungs 1 steps	Platform included as step Yes
Max. load capacity 150 kg	Material Aluminium	Transport dimensions 580 x 335 x 205 mm, 3 kg	Business division MUNK Günzburger Steigtechnik	

Facts

- Aluminium climbing aid
- Sturdy, welded bar design
- 220 mm deep steps made of aluminium chequered plate for a secure footing
- Top tread surface: 550 x 300 mm
- Non-slip plastic shoes
- Step spacing 200 mm
- Maximum load: 150 kg

Description

The fixed mounting aid combines stability and comfort perfectly. Designed for riders, equestrians, and stable owners, it is the ideal support for safe mounting when saddling, grooming, or riding. The non-slip aluminium tread surface (R10) ensures stability and prevents slipping – even in damp conditions.

Key Benefits

- **Maximum Safety:** Robust aluminium construction with non-slip plastic feet for secure footing on any surface.
- **Ergonomic Design:** Comfortable step spacing and generously sized platforms ensure ease of use and promote gentle mounting, reducing strain on the horse's back.
- **Flexibility:** Various models with up to 5 steps provide the right solution for every situation, from daily care routines to use in the riding arena.

Your Advantage

Investing in the fixed mounting aid means prioritising safety and durability. Its compact design and sustainable production ensure added value for your daily stable routines and your horse's health.

Scope of supply

- Platform: 1 x
- Instructions for use and operation: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany

- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Safe working

- Handrails for safe ascent and descent
- Large-format, non-slip platforms
- Sturdy designs for secure stance



From small to large

- The right product for every application
- One-sided and two-sided variants



Industrial grade

- Robust design for demanding applications
- Use of high-quality and high-strength materials



Non-slip plastic shoes

- Ensure secure stance
- High impact and abrasion resistance
- Simple replacement in the event of wear



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

