


Order no.: 012955

## FlexxTower double railing



### Specification

Length 1.34 m	Width 430 mm	Height 95 mm	Suitable for Rollgerüste	Transport dimensions (plus packaging) 1340 x 430 x 95 mm, 3.7 kg
Business division MUNK Günzburger Steigtechnik	Order no. 012955	Spare part for article no.	Spare part for article no. 011319	Spare part for article no.
Spare part for article no. 011318	Spare part for article no. 011315			

### Facts

- Double railing for added safety and stability
- Easy to install and adapt to different heights and requirements
- Suitable for FlexxTower and FlexxTower SG
- Powder-coated in RAL 1021


## Scope of supply

- Garde-corps: 1 x

## Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures



## Corporate certifications

---

### Standards for quality and sustainability

