



Order no.: 019830

Ladder holder powdercoated RAL 3000 with CL1 lock

Model versions

Red, CL1 lock Red, half cylinder

Red, Master Key

Specification

Product type	Length	Width	Height	Adjustment range
Accessories	260 mm	131 mm	150 mm	95 mm
Material Galvanised steel Coated steel	Transport dimensions 160 x 155 x 155 mm, 1.2 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019830	

Facts

- Design in galvanised steel plate, then powdercoated in RAL 3000 Flame Red, for mounting on walls. Infinitely adjustable depth of 139 – 190 mm
- Dimensions approx. mm 150 x 131 x 165 260
- Infinitely adjustable depth from 139 -190 mm
- Suitable for stepladders and rung ladders



Scope of supply

Ladder holder: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Corporate certifications

Standards for quality and sustainability





