



Order no.: 114067

3-section rope-extension ladder DIN EN 1147

Number of rungs

- 3x10
- 3x11
- 3x12
- 3x13
- 3x14
- 3x15
- 3x16
- 3x17

Specification

Intended use Rettung	Ladder length retracted 3.5 m	Ladder length extended 7.7 m	Setting angle 70 °	Clear width between rungs 270 mm
Clear width, upper ladder 350 mm	Clear width, central ladder 420 mm	Clear width, lower ladder 420 mm	Outer width 490 mm	Ladder feet Stahlspitze
Depth of side-rails 74	Step/Rung height 28 mm	Step depth 29 mm	Number of steps/rungs 3x 10 rungs	Max. load capacity 324 kg
Persons max. 3	Material Aluminium	Rung covering Standard (rot)	Business division MUNK Rettungstechnik	Order no. 114067

Facts

- 3-section rope-extension ladder made of aluminium
- Rescue ladder compliant with DIN EN 1147
- With rope pulley, locking hook and rope brake
- With heat-insulating, non-slip plastic coating
- 4-fold edged rung-to-side-rail connection

- Corrosion-resistant fixtures made of galvanised steel
- Lower ladder with steel spikes at the base
- Upper ladder with wall wheels
- Permissible load: 324 kg / 3 people

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability

