

Order no.: 077587

# Safety runner GÜFA Flexx TriLock



## Specification

Product type Accessories	Height 90 mm	Material Stainless steel	Transport dimensions (plus packaging) 165 x 150 x 105 mm, 1.5 kg	Business division MUNK Günzburger Steigtechnik
Order no. 077587	Length 100 mm	Width 90 mm		

## Facts

- Suitable for the Sprossen-Zweiholm mast ladder and all fall protection systems from MUNK Günzburger Steigtechnik.
- No additional actuation of a rail stop required for removal
- Easy to insert and remove at any point on the fall protection rail
- Robust design with TriLock screw carabiner
- Smooth running and good handling due to rounded, ergonomic shape
- Tested in accordance with DIN EN 353-1
- Made of stainless steel V4A (1.4571), polyamide and aluminium

- Max. nominal load 150 kg, min. nominal load 50 kg

### Scope of supply

- Safety strap runner GÜFA Flexx: 1 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures

---



Corporate certifications

---

Standards for quality and sustainability

