

Order no.: 011318

## Railing set, single-sided



variant

1-sided

3-sided

### Specification

|                  |                 |                             |  |                     |
|------------------|-----------------|-----------------------------|--|---------------------|
| Length<br>1.34 m | Width<br>1.04 m | Suitable for<br>Rollgerüste | Business division<br>MUNK Günzburger<br>Steigtechnik | Order no.<br>011318 |
|------------------|-----------------|-----------------------------|--|---------------------|

### Facts

- Double railing for added safety and stability
- Easy to install and adapt to different heights and requirements
- Suitable for mobile mounting platform
- Powder-coated in RAL 1021

#### Scope of supply

- Garde-corps: 1 x
- Post: 2 x

### Information on sustainability criteria

- Corporate certification: ISO 9001

- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Corporate certifications

---

### Standards for quality and sustainability

