MUNK
Sicherheit. Made in Germany.

Order no.: 127127

ML FlexxLift 4.0 MP

Specification

Working height 2.13 - 4 m	Platform height 0.13 - 2 m	Platform length 0.74 m	Platform width 645 mm	Base area length 1.18 m
Base area width 735 mm	Approved for outdoor use No	Max. load capacity 135 kg	Transport dimensions (plus packaging) 1180 x 735 x 1670 mm, 275 kg	Business division MUNK Günzburger Steigtechnik
Order no. 127127				

Facts

- Vertical mast lift with a working height of 4.00 m
- Manual travel and lifting drive
- Patented gas spring lifting mechanism, which operates without power and can be operated with one hand
- Agile and easy to manoeuvre
- Fits through standard doorways and is suitable for lifts thanks to its compact transport dimensions

Description

Anyone working alone at height wants to stand securely – and get started without any hassle. The ML FlexxLift 4.0 MP manual vertical mast lift raises one person to a working height of 4.00 m. No electricity required, operated with one hand, ready to go straight away.

One-handed lifting, no electricity required

A patented lifting mechanism with a gas spring supports the load. You can raise and lower the

We reserve the right to make technical changes and price changes.

- Suitable even for extremely delicate floors thanks to its very low weight
- Open work basket with horizontal knee rail
- Handy storage for tools etc.
- Maximum load capacity: 135 kg (1 person + equipment)
- Forklift pockets and lifting eyes
- Tested in accordance with EN 280 (Class 1A)

platform effortlessly with one hand. No battery, no charger, no power connection – the system is virtually maintenance-free.

Open platform – safe and practical

The robust, open square platform makes it easy to access and exit from the side. You can also comfortably reach your materials in the lower section. If you need more protection, add the optional Velcro cover from the knee rail upwards – without sacrificing the open platform.

Lightweight, compact, portable

Weighing just 273 kg, the platform protects sensitive floors. It complies with EU pallet dimensions and, thanks to its low profile, fits into standard panel vans. Forklift pockets and lifting eyes make loading quick and easy.

Tested safety

Tested to EN 280 (Class 1A). A CE Declaration of Conformity and test report are included in German. Optional warranty of 24 months, or 60 months on the steel structure – with an annual MUNK inspection. Request a quote now.

Scope of supply

- Lift: 1 x
- Instructions for use and operation: 1 x

More product pictures

Corporate certifications

Standards for quality and sustainability

Safety. Made in Germany.

Management System ISO 9001 ISO 14001

Zertifiziert nach DVS ZERT EN 1090-1

Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

Amtliches Verzeichnis AVPQ Präqualifizierter Unternehmen