


Order no.: 930104

Aluminium profile 30x30 mm



Specification

Profile type Construction profile	Length max. 6 m	Material Aluminium	Profile dimension X 30 mm	Profile dimension Y 30 mm
Weight per metre 950 g/m	Groove size 6 mm	No. of grooves 4	Ix Area moment of inertia 28088 cm4	Iy Area moment of inertia 28088 cm4
Cross-sectional area FL 296.21 mm²	Surface texture Anodised aluminium	Anodising Bright E6/EV5	End design Sawn	Core hole diameter M10
Order no. 930104				

Facts

- Construction profile made from aluminium
- Screw channel profile with T-slot
- For sturdy, versatile constructions
- Simple installation
- Versatile use
- Added visual and functional benefits

Description

The 30x30 mm aluminium profile is a construction profile made from high-quality aluminium that is suitable for a wide range of applications. The screw channel profile with a T-slot provides an extremely sturdy construction that is easy to assemble. The profile is available in various lengths up to 6000 mm and is versatile in its use. The added visual and


- Bright anodised
- In different lengths up to 6000 mm

functional benefits make the profile particularly attractive.

Scope of supply

- Aluminium profiles, sawn to the required length (max. 6 m): 1 x

More product pictures



Corporate certifications

on sustainability criteria



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548

