

Order no.: 930603

Swivel castor 125 mm  
with locking device

Diameter [mm]

125



Specification

|                           |                              |                       |                      |                      |
|---------------------------|------------------------------|-----------------------|----------------------|----------------------|
| Castor diameter<br>125 mm | Material<br>Galvanised steel | Weight/piece<br>700 g | Dimension A<br>57 mm | Dimension B<br>57 mm |
| Dimension H<br>158 mm     | Thickness t<br>32 mm         | Order no.<br>930603   |                      |                      |

Facts

- Pressed from sheet steel
- With two ball bearing arrangements in the slewing ring
- With "stop-fix" locking device
- Rim/wheel body made from high-quality, unbreakable polypropylene
- Tyre/tread made from high-quality thermoplastic rubber elastomer (TPE)
- Load-bearing capacity: 120 kg

Description

The swivel castor is pressed from high-quality sheet steel and fitted with two ball bearing arrangements in the slewing ring. The "stop-fix" locking device prevents the castor from inadvertently rolling away. The rim and wheel body are made from unbreakable polypropylene, the tyre from high-quality thermoplastic rubber elastomer (TPE). With a load-bearing capacity of 120 kg, it can be used in a large number of constructions.

## Scope of supply

- Swivel castor: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



# Corporate certifications

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
  
www.tuv.com  
ID 9108612548



Nachhaltigkeit

EcoVadis  
sustainable supply management

CSR-Rating in Silber 2022

