



FlexxTower stairway kit 2





Specification

Suitable for Mobile scaffolding	Transport dimensions 2082 x 725 x 117 mm, 10.8 kg	Business division MUNK Günzburger Steigtechnik	Order no. 012910	Length 2.08 m
Width 725 mm	Height 118 mm			

Facts

- Expansion for FlexxTower stairway kit 1
- For assembling the one-person scaffold in stairwells with complete access so that staircases can still be used (order no. 12909 required)
- Incl. one push-fit frame with access
- Incl. a hook ladder for climbing onto the scaffold



Scope of supply

Push-fit frame: 1 x
Ladder: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



More product pictures





Corporate certifications

Standards for quality and sustainability









