



Order no.: 012909

FlexxTower stairway kit 1



Specification

Length 2.1 m	Width 795 mm	Height 50 mm	Suitable for Mobile scaffolding	Transport dimensions (plus packaging) 2080 x 795 x 45 mm, 25 kg
Business division MUNK Günzburger Steigtechnik	Order no. 012909			

Facts

- Extension set for the FlexxTower and the FlexxTower SG made of sturdy aluminium round tube and welded frame components
- For erecting the one-person scaffold in stairwells
- Push-fit frame with step-through solution for convenient entry
- Four seamlessly adjustable feet with floorprotecting rubber plates
- Two long, telescopic triangular outriggers as conversion kit for a safe footing


Scope of supply

- Push-fit frame: 1 x
- Supporting base: 4 x
- Triangular outrigger: 2 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

