



Order no.: 012909

## FlexxTower stairway kit 1



### Specification

Length <b>2.1 m</b>	Width <b>795 mm</b>	Height <b>50 mm</b>	Suitable for <b>Mobile scaffolding</b>	Weight <b>25 kg</b>
Transport dimensions <b>2080 x 795 x 45 mm, 25 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>012909</b>	Price <b>€ 1,176.00</b>	

### Facts

- Extension set for the FlexxTower and the FlexxTower SG made of sturdy aluminium round tube and welded frame components
- For erecting the one-person scaffold in stairwells
- Push-fit frame with step-through solution for convenient entry
- Four seamlessly adjustable feet with floorprotecting rubber plates
- Two long, telescopic triangular outriggers as conversion kit for a safe footing

### Scope of supply

- Push-fit frame: 1 x
- Supporting base: 4 x
- Triangular outrigger: 2 x

### Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

### More product pictures

---



## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

