



Order no.: 019236

Push-fit, retractable exit  
side-rail

Type

left

right

Specification

Product type Accessories	Length 1.42 m	Width 118 mm	Diameter 35 mm	Material Aluminium
Transport dimensions 1415 x 130 x 60 mm, 1.91 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019236	Spare part for article no. 040352	

Facts

- Retractable handrail made of aluminium tube Ø 35 mm
- For vertical extension of the ladder for a safe bridging step
- Suitable for all ladders with rung spacing of 280 mm and step spacing of 235 mm or 263 mm
- For tool-free installation via ergonomic star handle
- Fastening via clamping mechanism in the uppermost rung/step holes
- Available as a variant for mounting on the left or right

## Scope of supply

- Exit rail: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



Corporate certifications

---

Standards for quality and sustainability



Management  
System  
ISO 9001:2015  
ISO 14001:2015  
  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
  
CSR-Rating in Silber 2022

