

Order no.: 027992

Safety railing for mobile scaffolding



For scaffold length [mm]

1800 2450 3000

Specification

Length 1.91 m	Width 170 mm	Height 1.5 m	Scaffolding length 1.8 m	Suitable for Mobile scaffolding
Transport dimensions (plus packaging) 1910 x 700 x 230 mm, 8.2 kg	Business division MUNK Günzburger Steigtechnik	Order no. 027992	Spare part for article no. 125150	Spare part for article no. 125145
Spare part for article no. 125146	Spare part for article no. 125147	Spare part for article no. 125148	Spare part for article no. 125149	

Facts

- Protects against accidental falling off the scaffold platform
- Convenient construction of the safety railing for ergonomic mounting at height, which noticeably improves and simplifies working conditions
- For all-round secure assembly and disassembly of the scaffold
- Suitable for all MUNK Günzburger Steigtechnik mobile scaffolding

Scope of supply

- Garde-corps: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

This product can be funded as part of the BG BAU work safety subsidies! Subsidy subject to conditions; for the latest information, please visit the homepage of BG BAU.

Our safety railing (SG) is a system-integrated side protection that minimises the risk of falling during assembly, conversion and dismantling, as well as when using working and protective scaffolding. With this technical protection you meet the highest safety standards and at the same time benefit from an attractive subsidy of up to 50% of the purchase costs (max. 100 euro per measure).

- ✓ For new mobile scaffolding: The safety railings are eligible as part of a complete working platform (including safety railings and frame parts).
- ✓ For existing scaffolding: Retrofits with compatible safety railings are possible.

All members of the BG BAU profit from this subsidy. This is intended to prevent accidents at work and improve ergonomics, especially on construction sites. All information from BG BAU can be found at:
www.bgbau.de/service/angebote/arbeitsschutzpraemien

A brief overview of the subsidy and an overview of our eligible products can be found on our website at [Knowledge](#).

Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID: 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

