

Order no.: 027992

## Safety railing for mobile scaffolding



For scaffold length [mm]

1800

2450

3000

### Specification

Length <b>1.91 m</b>	Width <b>170 mm</b>	Height <b>1.5 m</b>	Scaffolding length <b>1.8 m</b>	Suitable for <b>Mobile scaffolding</b>
Weight <b>8.2 kg</b>	Transport dimensions <b>1910 x 700 x 230 mm, 8.2 kg</b>	Business division <b>MUNK Günzburger Steigtechnik</b>	Order no. <b>027992</b>	Price <b>€ 390.00</b>

### Facts

- Protects against accidental falls from the scaffold platform
- Comfortable design of the safety railing for ergonomic installation at height, significantly improving and simplifying working conditions
- For all-round secure assembly and disassembly of the scaffold
- Suitable for all MUNK Günzburger Steigtechnik mobile scaffolding

## Scope of supply

- Garde-corps: 1 x

## Information on sustainability criteria

---

- Corporate certification: ISO 9001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



## Added value

---

This product may qualify for funding under the BG BAU Occupational Safety Subsidy! Funding is subject to conditions; the latest information can be found on the BG BAU website.

Our Safety Railing (SR) significantly reduces fall risks as an integrated edge protection system during assembly, modification, disassembly, and use of work and protective scaffolding. With this technical protection, you meet the highest safety standards while benefiting from an attractive subsidy of up to 50% of the purchase costs (maximum €100 per measure).

- ✓ For new mobile scaffolding: Safety railings are eligible for funding as part of a complete working platform (including safety railings and frame parts).
- ✓ For existing scaffolding: Retrofitting with compatible safety railings is possible.

All BG BAU members can benefit from this funding. The aim is to prevent workplace accidents, especially on construction sites, and to improve ergonomics. Detailed information from BG BAU is available at:

[www.bgbau.de/service/angebote/arbeitsschutzpraemien](http://www.bgbau.de/service/angebote/arbeitsschutzpraemien)

A quick guide to the funding programme and an overview of our eligible products can be found on our website under [Know-how](#).

## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

