

Order no.: 019294

Tension and compression resistant connecting strut



Specification

Product type Zubehör	Length 490 mm	Width 99.5 mm	Height 60 mm	Suitable for ladder type Stehleitern
Material Aluminium	Transport dimensions (plus packaging) 490 x 99.5 x 60 mm, 0.5 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019294	

Facts

- High-strength, tensile and pressure-resistant aluminium securing mechanism with joint for stepladders up to ladder size 2 x 10
- For maximum safety at work, correct ladder positioning is ensured by pressure-resistant bracing, optimum stability and prevention of the impermissible slippage of the ladder
- Simple to fix in place by means of a clamping mechanism in the rung/step edge opening
- For retrofitting

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability

