



Order no.: 891001

Spare rung FS ladder DIN EN 1147

Specification

| | | | | |
|--|--|--------------------------------------|--------------------------------------|--------------------------------------|
| Transport dimensions (plus packaging) 1500 x 29 x 28 mm, 0.56 kg | Business division MUNK Rettungstechnik | Order no. 891001 | Spare part for article no. 115001 | Spare part for article no. 115003 |
| Spare part for article no. 115002 | Spare part for article no. 111002 | Spare part for article no. 111001 | Spare part for article no. 111003 | Spare part for article no. 111201 |
| Spare part for article no. 111202 | | | | |

Facts

- Double-sided grooved replacement rung made of aluminium
- Dimensions: 1,500 x 28 x 29 mm
- Suitable for aluminium scaling ladders

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS

- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability

