



Order no.: 114170

Foam lining for compressed-air cylinders

Specification

Weight 1 kg

Business division MUNK Rettungstechnik Order no. 114170

Facts

- Precise-fit foam lining for case with lid size 6 (item no. 114035)
- Produced in accordance with DIN 14880
- For the safe transport of up to four compressed air cylinders, 6 I steel / 300 bar

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems



- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures





Added value

Highest quality

- User-friendly and robust design
- Multiple riveted hinges
- High material strength and corrosion resistance



Safe stacking

- All-round stacking edge or impact-resistant plastic corners
- Compact transport design



Guide to handle arrangement

Our illustration depicts the handle arrangement of our cases and crates.



Versatile

- All-round seal in the edge profile to protect against dust and moisture
- Hinged covers or perforated side walls
- Different sizes



Firmly closed

- With device for padlock or barrel lock
- Optional with lock set

Size chart

Size 1: 600 x 220 x 400 Size 2: 400 x 220 x 300 Size 3: 600 x 150 x 400 Size 4: 400 x 150 x 300 Size 5: 600 x 220 x 265 Size 6: 800 x 330 x 400

Dimensions W x H x D in mm



Corporate certifications

on sustainability criteria







