



# Specification

| Material            | Weight/piece                            | ISO thread          | Dimension A | Dimension B |
|---------------------|---|---------------------|-------------|-------------|
| Plastics            | 180 g                                   | M8                  | 50 mm       | 34 mm       |
| Dimension C<br>8 mm | Business division<br>MUNK Profiltechnik | Order no.<br>930604 |             |             |

#### **Facts**

■ Levelling screw, round

■ Foot: Black PE, 34x8 mm

Screw: galvanised, 45 mm useful length

# Description

Order no.: 930604

Perfect alignment for long-term stability! The MUNK Profile Technology M8 levelling foot is a high-quality base adjustment screw that compensates for uneven floors and aligns structures with millimetre precision – with 45 mm of usable length for maximum flexibility.

### Robust Design for Long-Term Use

- M8 threaded screw: Galvanised steel with 45 mm usable length for stepless height adjustment
- PE base foot: Black polyethylene foot (34×8 mm) non-slip, floor-friendly and wear-resistant
- Compact dimensions: 50 mm diameter, 34 mm height, with just 180 g weight



 Corrosion protection: Galvanised for continuous use in industrial and outdoor environments

## **Universal Application Without Prework**

Easy installation: Simply screw directly into the M8 threads of the profile – no additional fastening elements required. Stepless adjustment: Full-length height compensation for precise levelling, even on significantly uneven floors.

#### **Typical Applications**

- Machine frames: Precise alignment of machine tools and test benches
- Workstations: Wobble-free adjustment of assembly tables and workbenches on uneven floors
- Conveyor systems: Stable positioning of conveyors and handling devices
- Automation technology: Millimetre-accurate alignment of robotic cells and gantry systems
- Enclosures: Secure floor anchoring of safety cabins and noise protection walls

Discover the MUNK M8 levelling foot – the precise solution for long-term stability, aligned today and reliably supporting tomorrow.

## Scope of supply

Adjustable foot: 1 x

# Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

■ RoHS



- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures





# Corporate certifications

### Standards for quality and sustainability









