

Gebrauchs- und Betriebsamweisung beachten!

Steigleitern gemäß den gesetzlichen Vorgaben regelmäßig prüfen.

Steigleiter mit Rückenschutz

Steigleiter an baulichen Anlagen
DIN 18799-1:2019-0:5

Steigleiter an maschinellen Anlagen
DIN EN ISO 14122-4:2016-10

Steigleiter mit Steigschutz:

Berutzung der persönlichen Schutzausrüstung ist vorgeschrieber – Steigleiter nur mit geeignetem Auffanggerät benutzen.
Auffanggerät benutzen.
Auffanggerät besutzen gegen Absturz – Nitsaufende Auffanggeräten in Steigen und Steigen der Persönliche Schutzausrüstung gegen Absturz - Nitsaufende Auffanggeräte einschließich fester Führung

Persönliche Schutzausrüstung muss gemäß den gesetzlichen Vorgaben, mindestens einmal jährlich überprüft werden. MUNK GÜNZBURGER STEIGTECHNIK

MUNK GmbH Rudolf-Diesel-Straße 23 89312 Günzburg

www.steigtechnik.de

Order no.: 019007

Identification plate for fall protection device

Specification

Material Plastics

Transport dimensions 95 x 170 x 2 mm, 0.12 kg

Montiert am: 1 2 3 4 5 6 7 8 9 10 11 12 21 22 23 24 25

Business division MUNK Günzburger Steigtechnik

Order no. 019007

Facts

- Supports compliance with safety regulations and standards
- Easy-to-understand identification for increased safety
- For attachment at every entry and exit point for vertical ladders in accordance with DIN 18799-1 and DIN EN ISO 14122-4 and for vertical ladders with fall protection

Scope of supply

■ Plate: 1 x

Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

RoHS



- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Added value

Optimum planning

- Practical planning aids (available as <u>Downloads</u>) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning



All **fixed ladders / vertical ladders** at a glance:

- Single-flight vertical ladders in accordance with DIN 18799-1/-3, DIN 14094-1 and DIN EN ISO 14122-4 (depending on the choice of standard and the situation on site at the exit, additional components such as exit steps, railings and safety doors may be required)
- DIN 18799-1: Stationary multiple-flight vertical ladders on buildings
- DIN 14094-1: Multiple-flight emergency ladder systems (emergency ladders)
- DIN EN ISO 14122-4: Stationary multiple-flight vertical ladders on machinery



Corporate certifications

on sustainability criteria









