

Gebrauchs- und Betriebsanweisung beachten!  
Steigleitern gemäß den gesetzlichen Vorgaben regelmäßig prüfen.

- Steigleiter mit Rückenschutz
  - Steigleiter an baulichen Anlagen  
DIN 18799-1:2019-05
  - Steigleiter an maschinellen Anlagen  
DIN EN ISO 14122-4:2016-10
- Steigleiter mit Steigschutz:
  - Benutzung der persönlichen Schutzausrüstung ist vorgeschrieben
  - Steigleiter nur mit geeignetem Auffanggurt und zugehörigem Auffanggerät benutzen.  
Auffanggurt nach EN 361  
Auffanggerät Steigschutzeinrichtung GÜFA nach EN 353-1
  - Persönliche Schutzausrüstung gegen Absturz -  
Mittlaufende Auffanggeräte einschließlich fester Führung
  - Persönliche Schutzausrüstung muss gemäß den gesetzlichen Vorgaben, mindestens einmal jährlich überprüft werden.
  - Datum der Inbetriebnahme: \_\_\_\_\_



MUNK GmbH  
Rudolf-Diesel-Straße 23  
89312 Günzburg

www.steigtechnik.de

Montiert am: [1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 21 | 22 | 23 | 24 | 25]

Order no.: 019007

## Identification plate for fall protection device

### Specification

Material Plastics	Weight 0.06 kg	Transport dimensions 95 x 170 x 2 mm, 0.12 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019007
Price € 16.00				

### Facts

- Supports compliance with safety regulations and standards
- Easy-to-understand identification for increased safety
- For attachment at every entry and exit point for vertical ladders in accordance with DIN 18799-1 and DIN EN ISO 14122-4 and for vertical ladders with fall protection

### Scope of supply

- Plate: 1 x

### Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001

- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---

## Added value

---

### Optimum planning

- Practical planning aids (available as [Downloads](#)) with tips for correct planning of vertical ladder systems
- Planning in close coordination with the client as well as the place and purpose of use
- Joint project planning



### All [fixed ladders / vertical ladders](#) at a glance:

- [Single-flight vertical ladders](#) in accordance with DIN 18799-1/-3, DIN 14094-1 and DIN EN ISO 14122-4 (depending on the choice of standard and the situation on site at the exit, additional components such as exit steps, railings and safety doors may be required)
- DIN 18799-1: Stationary multiple-flight vertical ladders [on buildings](#)
- DIN 14094-1: Multiple-flight [emergency ladder systems \(emergency ladders\)](#)
- DIN EN ISO 14122-4: Stationary multiple-flight vertical ladders [on machinery](#)

## Corporate certifications

---

on sustainability criteria



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID 9108612548

