



Order no.: 019900

Hook-in platform R13 for rung ladders

Specification

Product type Accessories	Width 282 mm	Step width 260 mm	Step depth 300 mm	Suitable for ladder type Rung ladders
Material Aluminium coated	Transport dimensions (plus packaging) 480 x 310 x 155 mm, 3.9 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019900	

Facts

- Suitable for rung ladders
- Made of powder-coated aluminium
- For comfortable and fatigue-free standing for working in accordance with TRBS 2121 Part 2
- Work safety to the highest non-slip class R 13 thanks to the aluminium oxide particles in the platform surface
- Maximum load: 150 kg


Scope of supply

- Platform: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability



Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID 9108612548



Nachhaltigkeit
EcoVadis
sustainable supply management
CSR-Rating in Silber 2022

