



Order no.: 019900

# Hook-in platform R13 for rung ladders

## Specification

Product type	Width	Step width	Step depth	Suitable for ladder type
Accessories	282 mm	260 mm	300 mm	Rung ladders
Material Aluminium coated	Transport dimensions 480 x 310 x 155 mm, 3.9 kg	Business division MUNK Günzburger Steigtechnik	Order no. 019900	

#### **Facts**

- Suitable for rung ladders
- Made of powder-coated aluminium
- For comfortable and fatigue-free standing for working in accordance with TRBS 2121 Part 2
- Work safety to the highest non-slip class R 13 thanks to the aluminium oxide particles in the platform surface
- Maximum load: 150 kg



### Scope of supply

■ Platform: 1 x

#### Information on sustainability criteria

Corporate certification: ISO 9001

Corporate certification: ISO 14001

Corporate certification: EN 1090

Corporate certification: EcoVadis

- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users



# More product pictures







# Corporate certifications

#### Standards for quality and sustainability









