



Order no.: 019914

## Side-rail extension for ladder side-rail



For depth of side-rail [mm]

**58** 73 85 98

## Specification

|                              |                              |                                           |                                                                          |                                                      |
|------------------------------|------------------------------|-------------------------------------------|--------------------------------------------------------------------------|------------------------------------------------------|
| Product type<br>Accessories  | Max. load capacity<br>150 kg | Length<br>559 mm                          | Width<br>100 mm                                                          | Adjustment range<br>375 mm                           |
| Depth of side-rails<br>58 mm | Width of side-rails<br>25 mm | Material<br>Plastic   Galvanised<br>steel | Transport dimensions<br>(plus packaging)<br>560 x 100 x 60 mm,<br>1.2 kg | Business division<br>MUNK Günzburger<br>Steigtechnik |

Order no.  
019914

## Facts

- Maximum stability on uneven ground
- Height-adjustable, can easily be fitted to the side-rail when required
- Adjustment range max. 375 mm
- including two tacking rivets

## Scope of supply

- Side-rail extension: 1 x

## Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

## More product pictures

---



### Added value

---

#### Sponsored by BG BAU

Specification subject to conditions; for the latest information please visit the BG BAU website (statutory accident insurance company for the construction and construction related services in Germany). Since 2014, the BG BAU has been promoting the purchase of platform ladders, step stools and ladder accessories with single-sided and double-sided access. All members of the BG BAU profit from this. This aims to prevent work accidents on building sites and improve ergonomic working practices. For more information by BG BAU, please visit:

[www.bgbau.de/service/angebote/arbeitsschutzpraemien](http://www.bgbau.de/service/angebote/arbeitsschutzpraemien)

A brief overview of the subsidy and an overview of our eligible products can be found on our website under [know-how](#).

The movable ladder shoe sets new standards in stability

#### [Learn more](#)



## Corporate certifications

### Standards for quality and sustainability



Management System  
ISO 9001:2015  
ISO 14001:2015  
[www.tuv.com](http://www.tuv.com)  
ID: 9108612548



**Nachhaltigkeit**  
**EcoVadis**  
sustainable supply management  
CSR-Rating in Silber 2022

