

Order no.: 027926

Triangular outrigger

Base length [mm]

1215

1715



Specification

Length 2.5 m	Base area 1.22 m	Suitable for Mobile scaffolding Folding scaffolding	Transport dimensions (plus packaging) 2495 x 140 x 150 mm, 4.5 kg	Business division MUNK Günzburger Steigtechnik
Order no. 027926				

Facts

- Supports safe working on uneven surfaces
- For safe working at height
- Easy to handle and use
- Triangular outrigger

Scope of supply

- Triangular outrigger: 1 x

Information on sustainability criteria

- Corporate certification: ISO 9001
- Corporate certification: ISO 14001
- Corporate certification: EN 1090
- Corporate certification: EcoVadis
- RoHS
- REACH
- The MUNK Group complies with a Code of Conduct
- The Supply Chain Act does not apply due to our size
- The materials used are listed in the technical specification
- Resource-saving production: own photovoltaic systems
- Energy-efficient consumption during production: LED lighting
- Repairability, durability and quality: 15-year warranty on series products made in Germany
- Recyclability: Our products are mostly made of aluminium, steel or wood and can be fed directly into the recycling process.
- Socially acceptable working conditions in production: fair wages, gender equality
- Economical and recyclable packaging: no use of polystyrene, predominantly use of wood and cardboard, small amounts of plastic
- No health hazards for the users

More product pictures



Corporate certifications

Standards for quality and sustainability

